



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DAEWOO								
1	DA/001	DC 23 R 4 Diesel, 2238 cm ³ , 45 kW (61 PS), 21:1 Application:, Korando	4	88.000		629 WT 15		
2	DA/002	OM 601 D 23.900, 841-943 R 4 Diesel, 2299 cm ³ , 58-60 kW (79-82 PS), 22:1 Application:, Korando, Musso	4	89.000		004 WV 14		
3	DA/003	OM 601 D 23.940 R 4 Diesel, 2299 cm ³ , 58-60 kW (79-82 PS), 22:1 Application:, Korando, Musso OM 602 D 29.940 R 5 Diesel, 2874 cm ³ , 70 kW (95 PS), 22:1 Application:, Korando, Musso	4 5	89.000		002 WV 04		
4	DA/004	OM 602 DE 29 LA.982, Euro 2 R 5 Diesel, 2874cm ³ , 95 kW (129 PS), 19.5:1 Turbo, LLK, 4 Ventile Application:, Korando	5	89.000		004 WV 14		
5	DA/005	DB33	4	102.00				01201-0063

DAF								
1	DF/001	XD 3 P R 4 Diesel, 2498cm ³ , 51.5-56 kW (70-76 PS), 23:1 Application:, 400 EN	4	94.000		039 WV 30	89 412 190 89 033 190	
2	DF/002	XD 3 T R 4 Diesel, 2498 cm ³ , 71 kW (96 PS), 21:1 Turbo, LLK Application:, 400 ET	4	94.000		039 WV 30	89 412 190 89 033 190	
3	DF/003	AD 4.236 R 4 Diesel, 3864 cm ³ , 48-60 kW (59-80 PS), 16:1 Application:, FA 700, FA900	4	98.480		043 WV 11 043 WV 12 043 WT 13 043 WV 36 043 WV 39		
4	DF/004	D575/DS575M	6	100.615	SJ531601		88 253 110	
5	DF/005	CD 85 R 6 Diesel, 5880 cm ³ , 86 kW (115 PS), 17:1 Application:, 45.120 CN 95, CT 97 L, Euro 1 R 6 Diesel, 5880 cm ³ , 97 kW (132 PS), 17:1 Application:, 45.130	6 6	102.000		286 WV 02		
6	DF/006	CT 108 L, Euro 1 R 6 Diesel, 5880 cm ³ , 95-120 kW (130-163 PS), 17:1 Turbo Application:, 45.150	6	102.000		286 WV 02		
7	DF/007	CS 119 L, Euro 1 R 6 Diesel, 5880 cm ³ , 119 kW (162 PS), 17:1 Turbo, LLK Application:, 45.160	6	102.000		286 WV 02		
8	DF/008	DF615/DT615 DF 615 R 6 Diesel, 6170 cm ³ , 45-93 kW (61-126 PS), 16:1 Application:, 1200, 1600, 1400, 1100, 900, Serie DT 615, DTD 615 R 6 Diesel, 6170 cm ³ , 57-123.5 kW (77.5-168 PS), 16:1 Turbo Application:, Marinemotor, A 1700, DF 1600, DSD, DT 1600, FA 1200, FA 1300, FA 1400, FA 1500, FA 1600, FA 1690, FAV 1800, FT 1200, FT 1400, FT 1500, FT 1600, T 1700, V 1700, Serie	6 6	104.180		213 WT 01	88 547 110	212275



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DAF								
9	DF/009	DN 620, DNT 620 R 6 Diesel, 6239 cm ³ , 116-132 kW (158-180 PS), 15:1 Turbo Application:, 1100, 1300, 1700, Serie DNS 620 R 6 Diesel, 6239 cm ³ , 156 kW (212 PS), 15.75:1 Turbo, LLK Application:, 1900, Serie	6 6	104.175		213 WT 01	88 547 110	
10	DF/010	DNS 620 R 6 Diesel, 6239 cm ³ , 156 kW (212 PS), 15.75:1 Turbo, LLK Application:, 1900, Serie DNT 620, NT 133 R 6 Diesel, 6239 cm ³ , 132 kW (180 PS), 15.75:1 Turbo Application:, NT, FA 1300, FA 1700, Serie	6 6	104.175		213 WT 01	88 547 110	
11	DF/011	NS 133 R 6 Diesel, 6239 cm ³ , 133-177 kW (181-240 PS), 16.5:1 Turbo Application:, 65, Serie NS 156 R 6 Diesel, 6239 cm ³ , 133-177 kW (181-240 PS), 15.5:1 Turbo Application:, 65, Serie NS 177 R 6 Diesel, 6239 cm ³ , 132 kW (180 PS), 15.75:1 Turbo Application:, 65, Serie	6 6 6	104.175		213 WT 01	88 547 110	
12	DF/012	DF/DT/DTD 615	6	104.175	SJ351028			
13	DF/013	DNTD620		104.200	SJ 351350			
14	DF/014	DH825 Series, DHB 825.DH, DHB R 6 Diesel, 8250 cm ³ , 64-120 kW (87-163 PS), 16:1 Turbo Application:, F 1800, F 2200, FA 2005, FM 2000 FT 2000 Serie, FA 2000 Serie 825.DU R 6 Diesel, 8250 cm ³ , 148-165 kW (201-224 PS), 16:1 Turbo Application:, FA 2000, FA 2200, FA 2205, FAR-S 2200, FAS 2200, FAZ 2200, FM 2000, FMT 2200, FT 2000, FT 2200, FTR-S 2200 Serie, FTF 2200 Serie.	6 6	118.000		213 WT 02	88 624 110 89 442 110	240474
15	DF/015	DH825	6	118.000	SJ351103			
16	DF/016	DHB/R/T,DHTD,DU DHS/DHU/DHTD 825.DHB, DHR, DHT, DHTD, DU R 6 Diesel, 8250 cm ³ , 71-165.5 kW (96.5-225 PS), 16:1 Turbo Application:, FA 2005, FA 2000, FA 2200, FA 2205, FAR-S 2200, FAS 2200, FAT 2200, FAZ 2200, FM 2000, FMT 2200, FT 2000, FT 2100, FT 2200, FTR-S 2200, FTT 2200, SB 1602 Serie. 825.DHT R 6 Diesel, 8250 cm ³ , 105-184 kW (143-250 PS), 15:1 Turbo, LLK Application:, FA 2100, FA 2105, FA 2300, FA 2305, FA 2505, FAG 2305, FAG 2505, FAR 2300, FAR 2500, FAT 2300, FAT 2505, FAT 2525, FT 2100, FT 2300, FT 2305, SB 2000, SB 2305, Serie 825.DHS, DHU R 6 Diesel, 8250 cm ³ , 105-184 kW (143-250 PS), 15:1 Turbo, LLK Application:, DHS 2500, FA 2100, FA 2105, FA 2300, FA 2305, FA 2505, FAG 2305, FAG 2505, FAR 2300, FAR 2500, FAT 2300, FAT 2505, FAT 2525, FT 2100, FT 2300, FT 2305, SB 2000, SB 2305 Serie	6 6 6 6	118.000	SJ351103	213 WT 02	88 624 110 89 442 110	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DAF								
17	DF/017	825.DHS R 6 Diesel, 8250 cm ³ , 184 kW (250 PS), 15:1 Turbo, LLK Application:, FA 2505 Serie	6	118.000		213 WT 02		
18	DF/018	PF 183 M, Euro 2 R 6 Diesel, 9200 cm ³ , 183 kW (259 PS), 16.3:1 4 Ventile Application:, FA 75.250 Serie	6	118.000		213 WT 02	88 624 110 89 442 110	
		PF 212 M, Euro 2 R 6 Diesel, 9200 cm ³ , 212 kW (288 PS), 16.3:1 4 Ventile Application:, FA 75.290 Serie	6					
		PF 235 M, Euro 2 R 6 Diesel, 9200 cm ³ , 235 kW (320 PS), 16.3:1 4 Ventile Application:, FA 75.320 Serie	6					
19	DF/019	PE 183 C Euro 3 / PE 212 C Euro 3 / PE 235 C Euro 3	6	118.000			88 624 110 89 442 110	
20	DF/020	RS 180, Euro 1 R 6 Diesel, 8650 cm ³ , 16:1 Turbo, LLK Application: 75.240 Serie	6	118.000		213 WT 02 213 WT 08 213 WT 09	88 624 110 89 442 110	
		RS 180, Euro 2 R 6 Diesel, 8650 cm ³ , 16:1 Turbo, LLK Application: 75.240 Serie	6					
		RS 200, Euro 1 R 6 Diesel, 8650cm ³ , 200 kW (272 PS), 16:1 Turbo, LLK Application: 75.270 Serie	6					
		RS 200, Euro 2 R 6 Diesel, 8650 cm ³ , 200 kW (272 PS), 16:1 Turbo, LLK Application: 75.270 Serie	6					
		RS 222, Euro 1 R 6 Diesel, 8650 cm ³ , 222 kW (302 PS), 16:1 Turbo, LLK Application: 75.300 Serie	6					
		RS 222, Euro 2 R 6 Diesel, 8650 cm ³ , 222 kW (302 PS), 16:1 Turbo, LLK Application: 75.300 Serie	6					
21	DF/021	DK Series	4	130.000				241054
22	DF/022	DKS/DKSE/DKXE	6	130.000	SJ351020			
		DKT/DKTD/DKTL	6					
23	DF/023	DKA/DKDL/DKL	6	130.000	SJ351020			
		DKB	6					
24	DF/024	DK 1160, DKB 1160 R 6 Diesel, 11630 cm ³ , 156 kW (212 PS), 16:1 Application: 325, 360, 390, 392, 447, 450, 464, 475 500, 540, ATE 2400, DK, FA 2600, FAT 2605, FT 2500, FT 2600 Serie	6	130.000		213 WT 03	88 640 110 88 413 110	
		DKA 1160, DKDL 1160, DKL 1160 R 6 Diesel, 11630 cm ³ , 97-169 kW (132-230 PS), 16:1 Application: 280, 310, 350, 360, 475, 200, Serie, ATE 2400 Serie, SB 2000, Enabaumotor	6					
		DKB 1160 R 6 Diesel, 11630 cm ³ , 223.5 kW (304 PS), 16:1 Turbo Application: 2600, 2605, Serie,	6					



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DAF								
25	DF/025	DHS 1160, DKCL 1160, DKFL 1160, DKS 1160, DKSB 1160, DKSE 1160, DKV 1160, DKVL 1160, DKXE 1160, DKZ 1160 R 6 Diesel, 11630 cm ³ , 139-260 kW (189-354 PS), 15:1 Turbo, LLK Application: Industriemotor, Marinemotor 325, 340, 360, 380, 390, 450, 475, 500, 540, ATI 3300, FA 2800, FA 3305, FAD 3325, FAG 3305, FAR 2800, FAR 3300, FAT 2800, FAT 3325, FT 2800, FT 2805, FT 3305, FTG 3325 FTR 3300, FTT 3325 Serie FA 2805, FAR 2805, FAS 2805, FAT 2805, FTR 2805, FTT 2805 Serie DKT 1160, DKTD 1160, DKTL 1160 R 6 Diesel, 11630 cm ³ , 185-198.5 kW(252-270 PS), 15:1 Turbo Application: 325, 360, 380, 390, 392, 447, 450, 475, 500 540, F 2605, FA 2805, FAR 2805, FAS 2600, FAS 2605, FAS 2805, FAT 2605, FAT 2805, FTR 2805, FTT 2600, FTT 2805 Serie FA 2600, FA 2605 Serie FT 2600 Serie FT 2805 Serie	6	130.000		213 WT 03	88 640 110 88 413 110	
26	DF/026	ATI 1160, DKSE 1160, DKX 1160, DKXE 1160, DKZ 1160 R 6 Diesel, 11630 cm ³ , 212-274 kW (288-373 PS), 15:1 Turbo, LLK Application: ATI 3300, ATI 3305, ATI 3603, ATI 3605, ATI 3625, ATI 3325 Serie	6	130.000		213 WT 03	88 640 110 88 413 110	
27	DF/027	LT. Euro 1 R 6 Diesel, 11630 cm ³ , 160-195 kW (218-265 PS) Hub 15.5 mm Application: Bus	6	130.000		213 WT 03		
28	DF/028	DKZ 1160 ATI, LT 160 Euro 1, LT 195 Euro 1, LT 210 Euro 1	6	130.000			88 640 110 88 413 110	
29	DF/029	XF 250 M, XF 280 M, Euro 2 R 6 Diesel, 12583 cm ³ , 250 kW (340 PS), 16:1 Hub 158mm, Turbo, LLK, 4 Ventile Application: 85 340 Serie XF 315 M, Euro 2 R 6 Diesel, 12583 cm ³ , 250 kW (340 PS), 16:1 Hub 158mm, Turbo, LLK, 4 Ventile Application: 95 430, 95 480 Serie, 85 430 Serie XF 355 M, Euro 2 R 6 Diesel, 12583 cm ³ , 250 kW (340 PS), 16:1 Hub 158mm, Turbo, LLK, 4 Ventile Application: 95 480 Serie	6	130.000		213 WT 03	88 640 110 88 413 110	
30	DF/030	XE 250 C Euro 3, XE 280 C Euro 3, XE 315 C Euro 3, XE 355 C Euro 3, XE 390 C Euro 3,	6	130.000			88 640 110 88 413 110	
31	DF/031	WS R 6 Diesel, 11622 cm ³ , 282 kW (384 PS), 14.8:1 Turbo, LLK Application: FA, FAR, FAS, FAT, FT, FTG, FTS, FTT, ATI Serie	6	130.000		213 WT 03		
32	DF/032	WS.225 R 6 Diesel, 11622 cm ³ , 225 kW (306 PS), 14.5:1 Turbo, LLK Application: 95 310 FA, 95 310 FT, 95 310 ATI Serie WS.259 R 6 Diesel, 11622 cm ³ , 259 kW (352 PS), 14.5:1 Turbo, LLK Application: 95 350 FA, 95 350 FAR, 95 350 FAT, 95 350 FT Serie WS.282 R 6 Diesel, 11622 cm ³ , 282 kW (383 PS) Hub 14.8mm, Turbo, LLK Application: FA, FAR, FAS, FAT, FT, FTG, FTS, FTT, ATI Serie	6 6 6	130.000		213 WT 03	88 640 110 88 413 110	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
DAF								
33	DF/033	WS.242 G R 6 Diesel, 11622 cm ³ , 242 kW (329 PS) Hub 14.8mm, Turbo, LLK Application: 95 330 FA Serie WS.268 G R 6 Diesel, 11622 cm ³ , 268 kW (364 PS) 14.8:1 Turbo, LLK Application: 95 350 FA, 95 350 FAR, 95 350 FAT, 95 350 FT Serie 95 360 FA, 95 360 FAD, 95360 FAR 95 360 FAT Serie WS.295 G R 6 Diesel, 11622 cm ³ , 295 kW (401 PS), 14.8:1 Turbo, LLK Application: FA, FAR, FAS, FAT Serie, FAD Serie	6 6 6	130.000		213 WT 03	88 640 110 88 413 110	
34	DF/034	WS.242 L, Euro 1 R 6 Diesel, 11622 cm ³ , 242 kW (329 PS) Hub 14.8mm, Turbo, LLK Application: 85 330 FA Serie WS.268 L Euro 1 R 6 Diesel, 11622 cm ³ , 268 kW (364 PS) 16:1 Turbo, LLK Application: 85 360 FA, 95 360 FAR, 95 360 FAT, Serie WS.295 L Euro 1 R 6 Diesel, 11622 cm ³ , 295 kW (401 PS), 16:1 Turbo, LLK Application: FA, FAR, FAS, FAT Serie WS.315 L Euro 1 R 6 Diesel, 11622 cm ³ , 315 kW (421 PS), 16:1 Turbo, LLK Application: FA, FAD, FAR, FAS, FAT, FT Serie	6 6 6 6	130.000		213 WT 03	88 640 110 88 413 110	
35	DF/035	WS.242, Euro 2 R 6 Diesel, 11630 cm ³ , 242 kW (329 PS) Hub 16mm, Turbo, LLK Application: 85 330 FA Serie WS.268, Euro 2 R 6 Diesel, 11630 cm ³ , 268 kW (364 PS) 16:1 Turbo, LLK Application: 85 360 FA, 95 360 FAR, 95 360 FAT, Serie WS.295 R 6 Diesel, 11630 cm ³ , 295 kW (401 PS), 16:1 Turbo, LLK Application: FA, FAR, FAS, FAT Serie WS.315, Euro 2 R 6 Diesel, 11630 cm ³ , 315 kW (428 PS), 16:1 Turbo, LLK Application: FA, FAD, FAR, FAS, FAT, FT Serie	6 6 6 6	130.000		213 WT 03	88 640 110 88 413 110	
36	DF/036	WS.315 R 6 Diesel, 11600 cm ³ , 260-315 kW (354-428 PS), 16:1 Turbo Application: Marinemotor	6	130.000		213 WT 03		

DAIHATSU								
1	DA/001	CL		76.000				
2	DA/002	CLT		76.000				
3	DA/003	12R	4	80.500	SU4264			
4	DA/004	DE	4	85.000				992-4223-1101
5	DA/005	DG(OLD)	4	88.000				992-4223-1101
6	DA/006	DG	4	88.000				11461-87302

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.