



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
<b>DAVID BROWN</b>								
3	DV/003	AD4/55T AD6/55 AD6/55T	4 6 6	100.046	SU351121			
4	DV/004	AD6/55 AD6/55T	6 6	100.046	SU351121			
5	DV/005	AD3-49/AD3-55 AD4-49/AD4-55/AD4-55T AD6-55/AD6-55T	3 4 6	3.9388"				964857

<b>DETROIT DIESEL</b>								
1	DD/001	DETROIT DIESEL		98.500				
2	DD/002	GM 53		98.425	WS 438H			
3	DD/003	2-71 3-71 4-71 6-71	2 3 4 6	107.950	DS-550H DS-301H			
4	DD/004	4-71N 6-71N	4 6	107.950	DS-301H DS-301H			
5	DD/005	6V-71N 8V-71N 12V-71N 16-71N	6 8 12 16	107.950	DS-301H DS-547H			
6	DD/006	6-71T 6V-71T 8V-71T 12V-71T 12CYL 16V-71T 16CYL	6 6 8 12 16	107.950	DS-301H DS-547H			
7	DD/007	6V-92T 6CYL	6	122.936	WS-535H			
8	DD/008	6V-92TT 6CYL 6V-92TTA 6CYL	6 6	122.936	WS-543H WS-535H			



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
<b>DETROIT DIESEL</b>								
9	DD/009	<b>8V-92TT</b> <b>8V-92TTA</b> <b>12-92TT</b> <b>12V-92TTA</b> <b>16V-92TT</b> <b>16V-92TTA</b>	8 8 12 12 16 16	122.936	WS-543H			
10	DD/010	<b>S 50 / S 60</b>		130.000				235233920
11	DD/011	<b>S 50 / S 60</b>		130.000				8929442

<b>DORMAN</b>								
1	DN/001	<b>23C</b>	4	84.176	SJ235800			
2	DN/002	<b>LC2,3,4,5,6 (WL)</b> Direct Injection	2, 3, 4, 5, 6	127.000	SJ433601V1			
3	DN/003	<b>LC2,3,4,5,6 (WL)</b> Non-Turbo	2, 3, 4, 5, 6	127.000	SJ351187			
4	DN/004	<b>LC2,3,4,5,6 (WL)</b> Turbocharged	2, 3, 4, 5, 6	127.000	SJ351187			
5	DN/005	<b>LC2,3,4,5,6 (WL)</b> Direct Injection	2, 3, 4, 5, 6	127.000	SJ351187			

<b>DEUTZ (KHD)</b>								
1	DZ/001		4	91.000				
2	DZ/002	<b>F 2 L 1011, F 3 L 1011, F 4 L 1011</b>	2,3,4	91.000			89 423 110	
3	DZ/003	<b>BF 4 L 1011, BF 4 L 1011, Euro1, BF 4 L 1011 FT Euro1</b>	4	91.000			89 423 110	
4	DZ/004	<b>F 2 M 1011 F Euro 1, F 3 M 1011 F Euro 1, F 4 M 1011 F Euro 1,</b>	2,3,4	91.000			89 423 110	
5	DZ/005	<b>FL 1011 F</b> R 2 Diesel, 1366 cm <sup>3</sup> , 22 kW (30 PS) 18.5:1 Hub 105mm Application: Einbaumotor <b>FL 1011 F</b> R 3 Diesel, 2049 cm <sup>3</sup> , 33 kW (45 PS) 18.5:1 Hub 105mm Application: Einbaumotor <b>FL 1011 F</b> R 4 Diesel, 2732 cm <sup>3</sup> , 44 kW (60 PS) 18.5:1 Hub 105mm Application: Einbaumotor	2 3 4	91.000		009 WT 26		
6	DZ/006	<b>BF 4 M 1012 Euro 1, BF 6 M Euro 1</b>	4,6	94.000			89 447 110	
7	DZ/007	<b>812</b>		95.000				
8	DZ/008	<b>BF 4 M 2013 C Euro 3, BF 6 M 2013 Euro 3 BF 6 M 2013 C Euro 3</b>	4,6	98.000			89 830 110	

This document was created with Win2PDF available at <http://www.win2pdf.com>.  
The unregistered version of Win2PDF is for evaluation or non-commercial use only.  
This page will not be added after purchasing Win2PDF.