



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
<b>LEYLAND</b>								
1	LL/001	<b>15T</b>	4	73.012	SU498901			
2	LL/002	<b>B SERIES</b>	4	76.187	SU3270			
3	LL/006	<b>9.731</b> R 4 Diesel, 1799 cm <sup>3</sup> , 37 kW (50 PS), 21.5:1 Application: Sherpa 185, Sherpa 215, Sherpa 220, Sherpa 240, Sherpa 250, Furgon Sava	4	80.250		041 WV 01		
4	LL/004	<b>OE138</b>	4	84.175	SJ235800			
5	LL/005	<b>O SERIES</b>	4	84.442	SU4279			
6	LL/006	<b>EA SERIES 25U</b>	4	84.938	SU3969			
7	LL/007	<b>12J</b>	4	90.475	SU494402			
8	LL/008	<b>D3.152/AD3.152</b>	3	91.491	SJ546900 KT3600FP KT3600FPX1 KT3600FPX2 KT3601FP SU530201			
9	LL/009		4	94.000	CH 2319 100			
10	LL/010	<b>2498 CC</b>		94.000				
11	LL/011	<b>34T / 51 UD</b>		95.000				
12	LL/012	<b>4.98 NV</b> R 4 Diesel, 3770 cm <sup>3</sup> , 46-55 kW (63-75 PS), 16.8:1 Application: 360 FG, 550 FG Serie <b>6.98 DV, 6.98 NV</b> R 6 Diesel, 5655 cm <sup>3</sup> , 71.5-84.5 kW (97-115 PS), 16.8:1 Application: Terrier 650, Terrier 750, Terrier 850, Terrier 950, Industriemotor, Marinemotor 1000-33, 1000-43, 1200-33, 1200-38, 1200-42 1300, 2100, 295, 350 F, 360 F, 4100, 420 F, 485 520 F Serie 262, 272, 462, 472, Serie	4 6	98.000		137 WN 10		
13	LL/013	<b>6.354.2</b> <b>6.354</b> R 6 Diesel, 5800 cm <sup>3</sup> , 87 kW (118 PS), 16:1 Application: Boxer BX 14.25, Boxer BX 18 TF, Boxer BX 19 TF, Boxer BX 19 TA	6	98.476	SJ584201 SJ351150 SU538101	043 WV 11 043 WV 12 043 WT 13 043 WV 36 043 WV 39		
14	LL/014	<b>6.354.4</b>	6	98.476	SJ351150 SJ584201 SU538101 SU569200 SU351178			
15	LL/015	<b>38J / 38T</b>		100.000				
16	LL/016	<b>0.350</b>	6	100.610			88 253 110	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
<b>LEYLAND</b>								
17	LL/017	<b>0400 P.P.MK1/2</b> <b>0400 P.P.MK3</b>	6 6	107.226	HJ498400 SJ351081 SJ498402			
18	LL/018	<b>0.400</b> R 6 Diesel, 6540 cm <sup>3</sup> , 95.50 kW (130 PS), 16:1 Application: Tiger Club, Comet 90, Comet 100, CD 23 NW, Meteor CH 9 XL, Chiftain, Reiver, Viking, Panther Club	6	107.210		137 WT 06 137 WV 09		
19	LL/019	<b>6 C 107, SW 400</b> R 6 Diesel, 6540 cm <sup>3</sup> , 92 kW (125 PS), 16:1 Application: H 9, H 100, Bison Super <b>SW 266</b> R 4 Diesel, 4360 cm <sup>3</sup> , 58.8 kW (80 PS), 16:1 Application: Serie	6 4	107.290		137 WT 13 137 WT 14		
20	LL/020	<b>401/402</b>	6	107.226	SJ351081			
21	LL/021	<b>O410</b>	6	107.226	HJ498400 SJ351081			
22	LL/022	<b>410/411/420</b>	6	107.226	SJ351081			
23	LL/023	<b>V8.510/AV8.510</b>	8	107.950	SJ351207			
24	LL/024	<b>V8.540</b>	8	107.950	SJ351207			
25	LL/025	<b>O500</b>	6	118.001	SJ351153 KCM118L			
26	LL/026	<b>0501/0502</b>	6	118.001	SJ351153 SU351184			
27	LL/027	<b>0510/0511</b>	6	118.001	SJ351153			
28	LL/028	<b>O680P.P.MK1/2/3</b>	6	127.015	HJ221501 SJ221502 KC5000FL KC5000FLX KC5000FLX2			
29	LL/029	<b>O690</b>	6	127.015	SJ221502 KC5000FL KC5000FLX KC5000FLX2			
30	LL/030	<b>TL11</b>	6	127.015	HJ351197V1 KJ351220			
31	LL/031	<b>L12</b>	6	136.538	SY351138			
32	LL/032	<b>TL12</b>	6	136.538	SJ351245 SY351138			
33	LL/033	<b>0400 Series</b>	6	4.2215"				
34	LL/034	<b>0680 Series</b>	6	5.0006"				

This document was created with Win2PDF available at <http://www.win2pdf.com>.  
The unregistered version of Win2PDF is for evaluation or non-commercial use only.  
This page will not be added after purchasing Win2PDF.