



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
MAN								
1	MN/001	D 2530,D2538,D2555,D2556,D 2566,D2840,D2865,D2866 D 2876, Kompressor, Application Einbaumotor		90.000		004 WN 05 004 WR 06		
2	MN/002	D 0226.MC,MK,MKF,MKFA,MKH,MLE R 6 Diesel,5687 cm ³ ,125-154 kW (170-209 PS),17.5:1 Hub 116mm,Turbo,LLK Application 12.170,14.170,14.192 16.170, 17.192, 12.912	6	102.000		227 WT 36 227 WT 57	89 091 110 89 414 110	
3	MN/003	D 0226.MTE,MTKE,MTXE R 6 Diesel,5687 cm ³ ,81-135 kW (110-184 PS),17.5:1 Hub 116mm,Turbo,LLK Application Einbaumotor	6	102.000		227 WT 36 227 WT 57	89 091 110 89 414 110	
4	MN/004	D 0224.M,ME,MF R 4 Diesel, 3791 cm ³ ,58-66 kW(79-90PS),18:1,Hub 116mm 16:1, Application: 6.90,8.90	4	102.000		227 WT 36 227 WT 57	89 091 110 89 414 110	
5	MN/005	D 0226.M,ME,MFA,MFM,MFO,MH,MS R 6 Diesel,5687 cm ³ ,66-100 kW (90-136 PS),18:1 Hub 116mm, Application 6.90F,6.90FK,8.90FK,8.90F, 8.136F,8.136FK,9.136FK,10.136F,11.136,12.136,17.136	6	102.000		227 WT 36 227 WT 57	89 091 110 89 414 110	
6	MN/006	D 0226.MF R 6 Diesel,5687 cm ³ ,91-112 kW (124-152 PS),18:1 Hub 116mm, Application 6.90F,6.90FK,8.90FK,8.90F, 8.136F,8.136FK,9.136FK,10.136F,11.136,12.136,17.136 10.136, 14.136, 10.150, 16.136, 8.150	6	102.000		227 WT 36 227 WT 57	89 091 110 89 414 110	
7	MN/007	D 0226 Euro 0	6	102.000			89 091 110 89 414 110	
8	MN/008	D 0824.GF / D 0824 Euro 0 R 4 Diesel, 4580 cm ³ ,75 kW(102 PS),17:1,Hub 125mm Application: Einbaumotor	4	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51	89 470 110 89 453 110	
9	MN/009	D 0826 Euro 0	6	108.000			89 470 110 89 453 110 89 815 110 89 470 190	
10	MN/010	D 0826	6	108.000			89 470 110 89 453 110 89 815 110 89 470 190	
11	MN/011	D0826.F,GF,OH R 6 Diesel,6871 cm ³ ,110 kW (150 PS),17:1 Application F90,G90,M90,6.100FK310,6.100FK360,6.100 FK340, 9.150FK310, 9.150FK360,9.150FK460,10.150F460, 10.150F360,10.150F425,10.150F510	6	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		
12	MN/012	D0824.GF 01,GF 02,GF 03 R 4 Diesel, 4580 cm ³ ,75 Kw (102 PS) Application: Einbaumotor	4	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		
13	MN/013	D0826.GF 01,GF 02,GF 03 R 6 Diesel,6871 cm ³ ,114 kW (155 PS) Application: Einbaumotor	6	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		
14	MN/014	D0824.LFL 02,LOH 05,Euro 2 R 4 Diesel, 4580 cm ³ ,118 Kw (160 PS)17,16.5:1,Turbo,LLK Application: 8.163, 12.163	4	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		
15	MN/015	D0826.LF 11,LF 15 EVB,LFL 03 R 6 Diesel,6871 cm ³ ,162 kW (220 PS),18:1,Turbo,LLK Application: 8.224 F	16	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
MAN								
16	MN/016	D0826.LOH 18,Euro 2 R 6 Diesel,6871 cm ³ ,191 kW (260 PS),16.5:1 Application: Einbaumotor	6	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		
17	MN/017	D0826.LUH 11,LUH 12,LUH 13,Euro 2 R 6 Diesel,6871 cm ³ ,162 kW (220 PS),18:1,Turbo,LLK Application: 8.224 F	6	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		
18	MN/018	D0824.LF 01,LF 02,LF 03,LF 04,LF 05,LF 06,LF 07,LF 08 LF 09, LF 10, Euro 1 R 4 Diesel, 4580 cm ³ ,114 Kw (155 PS),16.5:1 Application 10.153, 12.152, 14.152,7.153,8.153,8.163F, 9.153F, 9.163F	4	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		
19	MN/019	D0824.LFL 01,Euro 1 R 4 Diesel, 4580 cm ³ ,114 Kw (155 PS),17:1,Turbo, LLK Application 10.153, 12.152, 14.152,7.153,8.153,8.163F, 9.153F, 9.163F	4	108.000		227 WT 39 227 WT 49 227 WT 50 227 WT 51		
20	MN/020	D0846 HM2/HMN2 R 6 Diesel,7252 cm ³ ,93-118 kW (127-160 PS),18:1 ,Hub 132mm, Application 13.168,15.168,750 HO-SL,8.156 ,8.160F,8.160H,9.156,9.160,CR 160,SG 192,SL 192,Ue 590	6	108.000	CH 2830 270 CH 2830 210 CH 2830 200 CH 2830 220 SJ 351 147	227 WT 09 227 WT 41		
21	MN/021	D0846	6	108.000				51.01201.0318 65.01201.0210
22	MN/022	D1146	6	111.000				63.01201.0050
23	MN/023	D2146/D2156	6	121.000				50.00246.583 65.01201.0012
24	MN/024	D2156	6	121.000	SJ 351 145			
25	MN/025	D2356	6	123.000				
26	MN/026	D2366	6	123.000				65.01201.0051
27	MN/027	D 2555.M ME, MF, MUH, MX R 5 Diesel, 9199 cm ³ , 124-141 kW (200-240 PS), 17:1 Hub 150mm Application: Einbaumotor D 2556.M MUH, MX, MXF, MXH R 6 Diesel, 11100 cm ³ , 147-176.5 kW (200-240 PS), 17:1 Hub 150mm Application: 12.168, 15.200, 16.200, 19.168, 19.200, SD 200, SL 200, SR 240, SUE 200, SUE 240, 13.168, 13.192, 15.168, 15.192, 16.168, 15.240, 16.240 19.240, 22.240, 26.240, 30.240	5 6	125.000		22 7WN 32 22 7WN 33 22 7WN 58 22 7WN 60		
28	MN/028	D 2565.MFR, MR R 5 Diesel, 9510 cm ³ , 92-141 kW (125-192 PS), 17:1 Hub 155mm Application: 11.168, 13.168, 13.192, 14.168, 14.192, 15.168 15.192, 16.168, 16.192, 22.192 D 2566.MFOR R 6 Diesel, 11407 cm ³ , 125-177 kW (170-240 PS), 17:1 Hub 155mm Application: 15.240, 16.240, 19.240, 22.240, 26.240, 30.240 SD 200, SG 192, SG 220, SL 200, SR 240, SUE 240	5 6	125.000		22 7WN 32 22 7WN 33 22 7WN 58 22 7WN 60		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
MAN								
29	MN/029	<p>D 2565.MK, MKUL, MT R 5 Diesel, 9510 cm³, 169.5 kW (230 PS), 17:1 Hub 155mm, Turbo Application: SR 240, SR 260, SR 280, 297, 298, 19281 F, 19281 FL, 19281 FK, 19281 FS, 19281 FAS, 19281 FAK, 19281 U, 19281 UL, 19280 F, 19280 FL, 19280 FT, 19280 FK, 19280 FS, 19280 FAS, 19280 FAK, 19280 DF, 19280 DFK, 19280 HF, 19280 HAK, 19.321, 22.280 FNL, 22.281 FNL, 22.321 UNL, 26.280 DF, 26.280 DFK, 26.280 DFS, 26.280 DFAS, 26.321 DF, 26.321 DFS, 26.321 DFK, 26.321 DFAS, 26.321 DFAK, 30.280 VF, 32.280 DHAK, 32.281, DHAK, 32.281 DHK, 32.281 DF, 32.281 DFS, 32.281 DFK, 32.281, DFAK, 32.281 DFAS, 32.321 DFAS, 32.321, DFS, 32.321 DFK, 32.321 DFAK</p> <p>D 2566.KUL, MFT, MK, MKF, MKUH, MKUL, MLE, MLUH, MLUM, MTE, MTF, MTH, MTHO, TU, MTUE, MTUH, MTUM, MUF R 6 Diesel, 11407 cm³, 162-235 kW (220-320 PS), 17:1 Hub 155mm, Turbo Application: SR 240, SR 260, SR 280, 297, 298, 19281 F, 19281 FL, 19281 FK, 19281 FS, 19281 FAS, 19281 FAK, 19281 U, 19281 UL, 19280 F, 19280 FL, 19280 FT, 19280 FK, 19280 FS, 19280 FAS, 19280 FAK, 19280 DF, 19280 DFK, 19280 HF, 19280 HAK, 19.321, 22.280 FNL, 22.281 FNL, 22.321 UNL, 26.280 DF, 26.280 DFK, 26.280 DFS, 26.280 DFAS, 26.281 DHAK, 26.281 DHK, 26.321 DF, 26.321 DFS, 26.321 DFK, 26.321 DFAS, 26.321 DFAK, 30.280 VF, 32.280 DHAK, 32.281 DHK, 32.281 DF, 32.281 DFS, 32.281 DFK, 32.281 DFAK, 32.281 DFAS, 32.321 DFAS, 32.321, DFS, 32.321 DFK, 32.321 DFAK</p> <p>D 2566.MT R 6 Diesel, 11407 cm³, 162-235 kW (220-320 PS), 17:1 Hub 155mm, Turbo Application: SR 240, SR 260, SR 280, 297, 298, 19281 F, 19281 FL, 19281 FK, 19281 FS, 19281 FAS, 19281 FAK, 19281 U, 19281 UL, 19280 F, 19280 FL, 19280 FT, 19280 FK, 19280 FS, 19280 FAS, 19280 FAK, 19280 DF, 19280 DFK, 19280 HF, 19280 HAK, 19.321, 22.280 FNL, 22.281 FNL, 22.321 UNL, 26.280 DF, 26.280 DFK, 26.280 DFS, 26.280 DFAS, 26.281 DHAK, 26.281 DHK, 26.321 DF, 26.321 DFS, 26.321 DFK, 26.321 DFAS, 26.321 DFAK, 30.280 VF, 32.280 DHAK, 32.281 DHK, 32.281 DF, 32.281 DFS, 32.281 DFK, 32.281 DFAK, 32.281 DFAS, 32.321 DFAS, 32.321, DFS, 32.321 DFK, 32.321 DFAK</p>	5	125.000		227 WN 32 227 WN 33 227 WN 58 227 WN 60		
30	MN/030	<p>D 2565.HM, M, ME, MF, MUE, MUH, MUL R 5 Diesel, 9510 cm³, 92-141 kW (125-192 PS), 17:1 Hub 155mm Application: 11.168, 13.168, 13.192, 14.168, 14.192, 15.168, 15.192, 16.168, 16.192, 22.192</p> <p>D 2566.HM, ME, MF, MFR, MR, MUE, MUH, MUL R 6 Diesel, 11407 cm³, 125-177 kW (170-240 PS), 17:1 Hub 155mm Application: 15.240, 16.240, 19.240, 22.240, 26.240, 30.240, SD 200, SG 192, SG 220, SL 200, SR 240, SUe 240</p> <p>D 2566.M R 6 Diesel, 11407 cm³, 125-177 kW (170-240 PS), 17:1 Hub 155mm Application: 15.240, 16.240, 17.240, 17.241, 18.241, 19.240, 22.240, 26.240, 30.240, 32.232, 32.240, SD 200, SG 192, SL 200, SR 240, SUe 240</p>	5	125.000		227 WN 32 227 WN 33 227 WN 58 227 WN 60		
31	MN/031	<p>D 2566.MFO, MH, MUM, MXF R 6 Diesel, 11407 cm³, 125-177 kW (170-240 PS), 17:1 Hub 155mm Application: 15.240, 16.240, 19.240, 22.240, 26.240, 30.240, SD 200, SG 192, SG 220, SL 200, SR 240, SUe 240</p>	6	125.000		227 WN 32 227 WN 33 227 WN 58 227 WN 60		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
MAN								
32	MN/032	D 2566.BUH, UH R 6 Diesel, 11413 cm ³ , 147-177 kW (200-240.5 PS), 17:1 Hub 155mm Application: 240 M 10, 240 M 12, SG 240, SG 220	6	125.000		227 WN 32 227 WN 33 227 WN 58 227 WN 60		
33	MN/033	D 2865.LF 09, LF 21, EURO 2 R 5 Diesel, 9972 cm ³ , 213-250 kW (290-340 PS), 17:1 Turbo, LLK Application: 19.343 FLT D 2866.LF13, LF 14, LF 15, LF 16, LF 20, LF 35, LOH 23, EURO 2 R 6 Diesel, 11967 cm ³ , 294-309 kW (400-420 PS), 17:1 Turbo, LLK Application: F 2000	5 6	128.000		227 WN 37 227 WN 42 227 WN 43 227 WN 56 227 WN 61		
34	MN/034	D 2866.K, KF, KFZ, KU, KUH, KUL, LF 04, LF 08, LF 29, LFZ, LFZR, LOCH, LU, LUH, LUL, TUH, TUM R 6 Diesel, 11967 cm ³ , 215-265 kW (292-360 PS), 15:1 Hub 155mm, Turbo, LLK Application: 19.291, 19.292, 19.331, 19.332 F, 19.361, 19.361 FLS, 19.362 F, 22.330, 22.331, 22.332, 22.360, 22.361, 22.362, 24.292, 24.362, 26.281, 26.291, 26.331, 26.361, 280, 290, 292, 32.331, 22.361, 322, 33.361, 332, 34.291, 34.331, 362, 363 D 2866.KOH R 6 Diesel, 11967 cm ³ , 215-265 kW (292-360 PS), 15:1 Hub 155mm, Turbo, LLK Application: 19.291, 19.292, 19.331, 19.332 F, 19.361, 19.361 FLS, 22.330, 22.331, 22.332, 22.360, 19.362 F 22.361, 22.362, 24.292, 24.362, 26.281, 26.291, 26.331, 26.361, 280, 290, 292, 32.331, 22.361, 322, 33.361, 332, 34.291, 34.331, 362, 363 D 2866.LXF R 6 Diesel, 11967 cm ³ , 215-265 kW (292-360 PS), 15:1 Hub 155mm, Turbo, LLK Application: 19.291, 19.292, 19.331, 19.332 F, 19.361, 19.361 FLS, 19.362 F, 22.330, 22.331, 22.332, 22.360, 22.361, 22.362, 24.292, 24.362, 26.281, 26.291, 26.331, 26.361, 280, 290, 292, 32.331, 22.361, 322, 33.361, 332, 34.291, 34.331, 362, 363 19.362 FS, 19.422, 25.362 Industriemotor, Marinemotor D 2866.TOH R 6 Diesel, 11967 cm ³ , 215 kW (292 PS), 15:1 Turbo Application: 19.291, 19.292, 19.331, 19.332 F, 19.361, 19.361 FLS, 19.362 F, 22.330, 22.331, 22.332, 22.360, 22.361, 22.362, 24.292, 24.362, 26.281, 26.291, 26.331, 26.361, 280, 290, 292, 32.331, 22.361, 322, 33.361, 332, 34.291, 34.331, 362, 363	6 6 6	128.000		227 WN 37 227 WN 42 227 WN 43 227 WN 56 227 WN 61		
35	MN/035	D 2866.LF 20, EURO 2 R 6 Diesel, 11967 cm ³ , 294-309 kW (400-420 PS), 17:1 Turbo Application: 26.414, F 2000 D 2866.LUH 21, EURO 2 R 6 Diesel, 11967 cm ³ , 257 kW (350 PS), 16:1 Hub 155mm, Turbo LLK Application: Einbaumotor D 2866.LUH 22 R 6 Diesel, 11967 cm ³ , 191 kW (260 PS), 16:1 Hub 155mm, Turbo LLK Application: Einbaumotor	6 6 6	128.000		227 WN 37 227 WN 42 227 WN 43 227 WN 56 227 WN 61		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
MAN								
36	MN/036	<p>D 2866.E, FG, FR, OH, UM R 6 Diesel, 11967 cm³, 176 kW (239 PS), 17.5:1 Hub 155mm Application: 200, 202, 240, 242</p> <p>D 2866.F R 6 Diesel, 11967 cm³, 177 kW (241 PS), 17.5:1 Hub 155mm Application: 16.242, 19.242, 25.242, 26.242, 200, 202, 240, 242, 24.242, 33.242, Industriemotor</p> <p>D 2866.UH R 6 Diesel, 11967 cm³, 176 kW (239 PS), 17.5:1 Hub 155mm Application: 200, 202, 240, 242, Bus, Industriemotor</p>	6	128.000		227 WN 37 227 WN 42 227 WN 43 227 WN 56 227 WN 61		
37	MN/037	<p>D 2866.LF 23, Euro 3 R 6 Diesel, 11967 cm³, 228 kW (310 PS), 19:1 Turbo, LLK, 4 Ventile Application: 19.314, 23.314, 26.314, 27.314, 32.314, 33.314 F 2000, TG 310</p> <p>D 2866.LF 24, Euro 3 R 6 Diesel, 11967 cm³, 265 kW (360 PS), 19:1 Turbo, LLK, 4 Ventile Application: 19.364, 23.364, 26.364, 27.364, 28.364, 32.364 33.364, 35.364, 41.364, TG 360, F 2000</p> <p>D 2866.LF 25, Euro 3 R 6 Diesel, 11967 cm³, 301 kW (409 PS), 19:1 Turbo, LLK, 4 Ventile Application: 19.414, 23.414, 27.414, 32.414, 33.414, 35.414 41.414, 42.414, TG 410, 26.414, 28.414, F 2000</p> <p>D 2866.LF 26, Euro 3 R 6 Diesel, 11967 cm³, 228 kW (310 PS), 19:1 Turbo, LLK, 4 Ventile Application: 18.313, TG 310, TG 410, F 2000</p> <p>D 2866.LF 27, Euro 3 R 6 Diesel, 11967 cm³, 265 kW (360 PS), 19:1 Turbo, LLK, 4 Ventile Application: 18.363, TG 360, F 2000</p> <p>D 2866.LF 28, Euro 3 R 6 Diesel, 11967 cm³, 301 kW (409 PS), 19:1 Turbo, LLK, 4 Ventile Application: 18.413, F 2000</p> <p>D 2866.LFG 07 R 6 Diesel, 11967 cm³, 198-324 kW (269-441 PS) Hub 155MM, Turbo, LLK Application: 25T, 32.403, 32T, Einbaumotor</p>	6	128.000		227 WN 37 227 WN 42 227 WN 43 227 WN 56 227 WN 61		
38	MN/038	<p>D 2876.LF 02, LOH 01, Euro 2 R 6 Diesel, 12817 cm³, 338 kW (460 PS), 17.1:1 Hub 142mm, Turbo, LLK Application: F 2000, 19.462 FLS, 19.462 BL, 19.463</p>	6	128.000		227 WN 37 227 WN 42 227 WN 43 227 WN 56 227 WN 61		
39	MN/039	<p>D 2876.LF 02, Euro 2 R 6 Diesel, 12816 cm³, 338 kW (460 PS), 16.75:1 Hub 166mm, Turbo, LLK Application: 19.464, 23.464, 26.464, 27.464, 28.464, 33.464, 35.464, 41.464, 42.464, TG 460, 18.463</p> <p>D 2876.LF 04, Euro 3 R 6 Diesel, 12816 cm³, 338 kW (460 PS), 16.75:1 Hub 166mm, Turbo, LLK Application: TG 460, 18.463</p> <p>D 2876.LF 06, Euro 2 R 6 Diesel, 12816 cm³, 338 kW (460 PS), 16.75:1 Hub 166mm, Turbo, LLK Application: 19.462 BL, 19.462 FLS, 19.463, 19.464, 30.464, 33.464, 35.464, 41.464, 42.464, 50.464, 23.464, 32.464, 24.464, 26.464, 27.464, 28.464, 40.464, F 2000</p>	6	128.000		227 WN 37 227 WN 42 227 WN 43 227 WN 56 227 WN 61		

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.