




S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
<b>RABA</b>								
1	RB/001	<b>D 2156,MT,MTN,MTX</b> R 6 Diesel, 10343 cm <sup>3</sup> ,188.5 kW (256 PS),17:1,Hub150mm Turbo, Application 831,832,833, 284, 256, 853	6	121.000		227 WT 15 227 WT 16 227 WT 17 227 WT 18 227 WT 62 227 WV 64	88 853 110 88 854 110 88 852 110	
2	RB/002	<b>D2156.HM,HM2, HM3, HM6, HMN, HMN 3,HMN9, HNY, MGN, MNY, MY,MYN</b> R 6 Diesel, 10343 cm <sup>3</sup> ,141.5-173 kW (192-235 PS),17:1, Hub150mm, Application 190,216, 230, 250, 255, 256, 260 280, 831.03, IK-130, IK-132, IK-4, IK-5, IK-6	6	121.000		227 WT 15 227 WT 16 227 WT 17 227 WT 18 227 WT 62 227 WV 64	88 853 110 88 854 110 88 852 110	
3	RB/003	<b>D 10 UT 150, Euro 1</b> R 6 Diesel, 10350 cm <sup>3</sup> ,150 kW (204 PS),15.2:1,Turbo Application IK- 280	6	121.000		227 WT 44 227 WT 45 227 WT 46 227 WT 47 227 WT 48 227 WV 64	89 465 110 89 466 110  89 467 110	
4	RB/004	<b>D 10 TC Euro 2</b>	6	121.000			89 465 110 89 466 110 89 467 110	
5	RB/005	<b>D 10 TC Euro 3</b>	6	121.000			89 465 110 89 466 110 89 467 110	
6	RB/006	<b>D 2356.HM 10,HM 2,HM 9,HMN 2 ,HMX</b> R 6 Diesel, 10690 cm <sup>3</sup> ,169-173 kW (230-235 PS),17:1, Hub150mm, Application 280, 833, 836, U-26-230	6	123.000		227 WT 19 227 WT 20 227 WT 21	88 871 110 88 872 110	
<b>RELIANT</b>								
1	RL/001	<b>V6</b>	6	93.647	SU3706			
<b>RENAULT</b>								
1	RN/001	<b>F 8 M.A 700</b> R 4 Diesel, 1596 cm <sup>3</sup> ,40.5 kW (55 PS), 22.5:1 Application Express, R 11, R 5 , R 9	4	78.000	CH 2317 100		89 318 190	
2	RN/002	<b>F 8 D.720.730</b> R 4 Diesel, 1596 cm <sup>3</sup> ,40.5 kW (55 PS), 22.5:1 Application Express, R 11, R 5 , R 9  <b>F 8 M.730, 736, 760</b> R 4 Diesel, 1596 cm <sup>3</sup> ,40.5 kW (55 PS), 22.5:1 Application Express, R 11, R 5 , R 9	4  4	78.000			89 318 190	
3	RN/003	<b>Motor F8M R5D/R9D/R11D</b>	4	78.000				
4	RN/004	<b>4.1</b> R 6 Benzin, 4100 cm <sup>3</sup> , Application Vivasport, Vivastella  <b>460 603</b> R 4 Benzin, 2383 cm <sup>3</sup> , Application R 2062,R 2161,R 2163,Primaquatre,Vivaquatre  <b>5.4</b> R 8 Benzin, 5400 cm <sup>3</sup> , Application Nervasport, Nervastella	6  4  8	85.000		021 WV 32		
5	RN/005	<b>8140.67</b>	4	90.475				
6	RN/006	<b>A 3.152 D</b> R 3 Diesel, 2500 cm <sup>3</sup> , 29.5 kW (40 PS) Application N 71 S	3	91.480		043 WT 06 043 WV 07 043 WT 08 043 WT 09 043 WV 21 043 WV 25 043 WV 34 043 WT 40		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
<b>RENAULT</b>								
7	RN/007	<b>F 8 M</b>	4	92.000				
8	RN/008	<b>8140.21.235</b>	4	93.000			89 319 190 89 319 191 89 319 192 89 319 193	
9	RN/009	<b>8140 21 / 8144.21</b> R 4 Diesel, 2445 cm <sup>3</sup> 68 Kw (92 PS), 22:1 Turbo Application B 90 Master	4	93.000	21233502	007 WV 46		
10	RN/010	<b>8140 58 U, 8140 68 U</b> R 4 Diesel, 2445 cm <sup>3</sup> , 49-53 kW (66-72 PS), 22:1 Application Master P 1800, P 30 D, P 350,T 1400, T 1800 T 350, T 35 D  <b>S 8 U.720,722,730,731</b> R 4 Diesel, 2445 cm <sup>3</sup> , 49-53 kW (66-72 PS), 22:1 Application Master P 1800, P 30 D, P 350,T 1400, T 1800 T 350, T 35 D	4  4	93.000		007 WV 39 007 WV 43	89 183 190 89 066 190 89 183 191	
11	RN/011	<b>8140.61</b>	4	93.000	21230502 21230702			
12	RN/012	<b>8140.81</b>	4	93.000	21230702 21232802			
13	RN/013	<b>8140.27</b>	4	93.000	21233502 21235902			
14	RN/014	<b>8140.67.2500.2550.2552.</b> R 4 Diesel, 2499 cm <sup>3</sup> , 55 kW (75 PS), 22:1 Application Master  <b>8144.67.2500</b>  <b>S 8 U.750,753</b> R 4 Diesel, 2499 cm <sup>3</sup> , 55-55 kW (75-75 PS), 22:1 Application Master  <b>S 8 W .732,742</b> R 4 Diesel, 2499 cm <sup>3</sup> , 55 kW (75 PS), 22:1 Application Master	4  4  4  4	93.000	21230502	007 WV 43	89 183 190 89 183 191 89 183 190	
15	RN/015	<b>8140 07.2700</b> R 4 Diesel, 2499 cm <sup>3</sup> , 55 kW (75 PS), 18:1 Application Master  <b>8140 07.3700 Euro 1</b> R 4 Diesel, 2499 cm <sup>3</sup> , 55 kW (75 PS), 19:1 Application Master	4  4	93.000		007 WV 46		
16	RN/016	<b>8140 67.2580 Euro 2</b> R 4 Diesel, 2499 cm <sup>3</sup> , 62 kW (85 PS), 22:1 Application Master	4	93.000		007 WV 43		
17	RN/017	<b>8140 47.2700, 8140 47.2721,8140 47.2785, Euro 1</b> R 4 Diesel, 2499 cm <sup>3</sup> , 85 kW (115 PS), 18.5:1 Hub 92 mm, Turbo, LLK Application Master  <b>8140 47.2711, Euro 1</b> R 4 Diesel, 2499 cm <sup>3</sup> , 85 kW (115 PS), 18.5:1 Hub 92 mm, Turbo, LLK Application Master  <b>S 9 U.714</b> R 4 Diesel, 2499 cm <sup>3</sup> , 80- 84.5 kW (109-115 PS), 18.5:1 Turbo Application Master  <b>S 9 U.714</b> R 4 Diesel, 2499 cm <sup>3</sup> , 84.5 kW (115 PS), 18.5:1 Turbo, LLK	4  4  4  4	93.000	21230702	007 WV 46	89 319 190 89 319 191 89 319 192 89 319 193	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
<b>RENAULT</b>								
18	RN/018	<b>8140.27.2560 / S9U</b>	4	93.000			89 319 190 89 319 191 89 319 192 89 319 193	
19	RN/019	<b>8144.97 S</b> <b>8144.97.2200</b> <b>8144.97.2400</b>	4	93.000			89 066 190 89 183 190 89 183 190	
20	RN/020	<b>8140.07.2585 Euro 1</b> <b>8140.07.2700</b> <b>8140.07.3700 Euro 1</b> <b>8140.67.2580 Euro 2</b> <b>8140.67.2620</b>	4	93.000			89 319 190 89 319 191 89 319 192 89 319 193	
21	RN/021	<b>8140.27.2582</b> <b>8140.27.2700</b>	4	93.000			89 319 190 89 319 191 89 319 192 89 319 193	
22	RN/022	<b>8140.27.2765 Euro 1</b>	4	93.000			89 319 190 89 319 191 89 319 192 89 319 193	
23	RN/023	<b>8140 43.3700,Euro 2</b> R 4 Diesel, 2798 cm <sup>3</sup> , 77-85 kW (105-115 PS), 18.5:1 Turbo, LLK Motor - Nr.....2572279 Application Master <b>S9W Euro 2</b>	4	94.400		007 WV 56	89 502 190	
24	RN/024	<b>8140 43.3700,Euro 2</b> R 4 Diesel, 2798 cm <sup>3</sup> , 85 kW (115 PS), 18.5:1 Turbo, LLK Motor - Nr.....2572279 Application Master	4	94.400		007 WV 56		
25	RN/025	<b>A 4.236</b>	4	98.480			88 354 190 88 355 190 88 356 110 89 514 190	
26	RN/026	<b>D 226 D</b> R 3 Diesel, 3120 cm <sup>3</sup> , 37-48 kW (50-65 PS), 18:1 Application: 489, 551.4, 556, 61-12, 61-14, 65-12, 65-14, 651, 89	3	105.000		151 WV 15 151 WT 25		
27	RN/027	<b>D 226 S</b> R 6 Diesel, 6240 cm <sup>3</sup> , 74-96 kW (100-131 PS), 18:1 Application: R 1401.4,R 7224/R 751.4,R 7341/R 89, R 7345 R 489,R 7451/ R551,R 7601/R 92,R 7621/R 751, R 7622/R752 R 7631/ R96, R7635/R496,R7664/R 1151.4 Einbaumotor  <b>D 226 V</b> R 4 Diesel,4160 cm <sup>3</sup> ,48-64 kW (65-87 PS),18:1 Application:496, 75-12, 75-14, 781, 80-12, 80-14, 85-12,85-14 851-4, 95-12, 95-14, 96 Einbaumotor  <b>D 226 Z</b> R 2 Diesel,2080 cm <sup>3</sup> ,27-30 kW (37-41 PS),18:1 Application Einbaumotor	6	105.000		151 WV 15 151 WT 25		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
<b>RENAULT</b>								
28	RN/028	<b>D 226 D</b> R 3 Diesel, 3120 cm <sup>3</sup> , 37-48 kW (50-65 PS), 18:1 Application Einbaumotor  <b>D 226 S</b> R 6 Diesel, 6240 cm <sup>3</sup> , 74-96 kW (100-131 PS), 18:1 Application Einbaumotor  <b>D 226 V</b> R 4 Diesel, 4160 cm <sup>3</sup> , 48-64 kW (65-87 PS), 18:1 Application Einbaumotor  <b>D 226 Z</b> R 2 Diesel, 2080 cm <sup>3</sup> , 27-30 kW (37-41 PS), 18:1 Application Einbaumotor	3 6 4 2	105.000		151 WV 15 151 WT 31		
29	RN/029	<b>TD 226</b> R 4 Diesel, 4160 cm <sup>3</sup> , 63-73.5 kW (86-100 PS), 16:1, Hub 120mm, Turbo, Application: 851 -4	4	105.000		151 WV 15 151 WT 31	88 635 190 88 197 110	
30	RN/030	<b>TD 226-4</b> R 6 Diesel, 6240 cm <sup>3</sup> , 100-125 kW (136-170 PS), 16:1 Hub 120mm, Turbo, Application 951	6					
31	RN/031	<b>D 226-3</b> <b>D 226-4</b> <b>D 226-6</b>	3 4 6	105.000			88 635 190 89 197 110	
32	RN/032	<b>MIDR 06.20.30 / MIDR 06.20.45 C/4 Euro 2</b> <b>MIDS 06.20.30 N1 / MIDS 06.20.30 P</b>	6	120.00			89 078 110	

<b>ROMAN</b>								
1	RO/001	<b>D 2156.HM 8</b> R 6 Diesel, 10343 cm <sup>3</sup> , 141.5-173 kW (192-235 PS), 17:1 Hub 150mm Application: R 10.215 F, R 10.215 FA, R 10.215 FS, R 10.215 FAS, R 10.215 DFS, R 12.215 DF, R 19.215 DF, R 21.215 VF, 12 ATM2, 12 AF 1, 19 ALP 1	6	121.000		227 WT 15 227 WT 16 227 WT 17 227 WT 18 227 WT 62 227 WT 64	88 853 110 88 854 110	
2	RO/002	<b>D 2156.MTN 8</b> R 6 Diesel, 10343 cm <sup>3</sup> , 188 kW (256 PS), 17:1 Hub 150mm, Turbo Application: R 19.256 F, R 19.256 FS, R 19.256 DFS	6	121.000		227 WT 15 227 WT 16 227 WT 17 227 WT 18 227 WT 62		

<b>ROMANIA (UTB)</b>								
1	RA/001	<b>D113/U50/U500/U650 (WL)</b>	4	108.000				
2	RA/002	<b>U-500/650 (WL)</b>	4	108.000				

<b>RUSSIAN</b>								
1	RU/001	<b>MTZ 5L (WL)</b>	4	105.000				
2	RU/002	<b>DT-14 (WL)</b>	1	125.000				
3	RU/003	<b>DT-28 (WL)</b>	2	125.000				

<b>RILEY</b>								
1	RE/001	<b>A SERIES</b>	4	62.916	SU2893			
2	RE/002	<b>A SERIES</b>	4	64.567	SU3367			
3	RE/003	<b>A SERIES</b>	4	70.612	SU3598			
4	RE/004	<b>B SERIES</b>		73.025	SU2447			

This document was created with Win2PDF available at <http://www.win2pdf.com>.  
The unregistered version of Win2PDF is for evaluation or non-commercial use only.  
This page will not be added after purchasing Win2PDF.