



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
ROVER								
1	RR/001	XUD 7 TE R 4 Diesel, 1769 cm ³ ,66 kW (90 PS),22.5:1 Turbo Application: 200,400,Tourer, 218, 418	4	80.000		039 WV 23	89 316 190	
2	RR/002	9.731 R 4 Diesel, 1799 cm ³ ,37 kW (50 PS),21.5:1 Application:Sherpa 185,Sherpa220,Sherpa 240, Sherpa 250 Furgon Sava, J 4-1000	4	80.250		041 WV 01		
3	RR/003	XUD9/A/B R 4 Diesel, 1905 cm ³ ,52 kW (71 PS),23.5:1, Application : 218,418	4	83.000	CH 2334 100	039 WV 21 039 WV 32	89 184 190	
4	RR/004	O SERIES	4	84.442	SU4279			
5	RR/005	820 Series	4	84.450	SU4279			
6	RR/006	820 Spi 820 Mpi	4 4	84.450	SU4279			
7	RR/007	20 T2N 20 T2R	4	84.450			89 563 190	
8	RR/008	5R	5	84.450			89 536 190	
9	RR/009	P6	4	85.725	SU3977			
10	RR/010		8	88.862	SU4244			
11	RR/011	3528	8	88.862	SU4244			
12	RR/012	2286	4	90.475	SU494402			
13	RR/013	2.3 R 4 Diesel, 2250 cm ³ ,45.5 kW (61.9 PS),23:1, Application : 109, 110, 88, Seater 10/12	4	90.475		201 WV 02 201 WV 03 201 WV 04		
14	RR/014	2.3 R 4 Diesel, 2286 cm ³ Application : 1300SW, Land Rover 109,Land Rover 88 3.5 R 6 Diesel, 3429 cm ³ Application : Land Rover 109,S 2000	4 6	90.475		201 WV 04		
15	RR/015	2.3L	4	90.487			88 391 190 89 425 190	
16	RR/016	TD 27 R 4 Diesel, 2663 cm ³ Application : New London Taxi	4	96.000		640 WV 11		

R.V.I.								
1	RV/001	4.108 R 4 Diesel,1760 cm ³ , 37 kW (50 PS),22:1, Application LE 25	4	79.375		043 WV 04		
2	RV/002	6.288	6	88.925			88 364 110 88 364 190	
3	RV/003	8140.27.2582	4	93.000			89 319 190 89 319 191 89 319 192 89 319 193	
4	RV/004	8140.47.2530 Euro 1 8140.47.2585 Euro 1 8140.47.2590 Euro 1	4	93.000			89 319 190 89 319 191 89 319 192	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
R.V.I.								
5	RV/005	8140.61.235	4	93.000			89 066 190 89 183 190 89 183 191	
6	RV/006	8140.21.200 8140.21.235	4	93.000			89 319 190 89 319 191 89 319 192 89 319 193	
7	RV/007	8140.07.2530 8140.07.2585 Euro 1 8140.67.2585 Euro 2	4	93.000			89 319 190 89 319 191 89 319 192 89 319 193	
8	RV/008	8140.23.2585 Euro 2 8140.43.2585 Euro 2	4	94.400			89 502 190	
9	RV/009	8140 23.2585 Euro 2 R 4 Diesel, 2798 cm ³ , 76 kW (103 PS), 18.5:1 Turbo, LLK Motor - Nr.....2572280 Application: B 110, B 110.45	4	94.400		007 WV 56		
10	RV/010	8140 23.2585 Euro 2 R 4 Diesel, 2798 cm ³ , 76 kW (103 PS), 18.5:1 Turbo, LLK Motor - Nr.....2572280 Application: B 110, B 110.45	4	94.400		007 WV 56		
11	RV/011	8140.27.2565 Euro 1	4	94.400			89 319 190 89 319 191 89 319 192 89 319 193	
12	RV/012	8140.43S.2585 Euro 2	4	94.400			89 502 190	
13	RV/013	4.236	4	98.480			88 354 190 88 355 190 88 356 110 89 514 190	
14	RV/014	T 4.38	4	98.480			88 355 190 88 356 110	
15	RV/015	6.354 R 6 Diesel, 5784 cm ³ , 74.5 kW (101 PS),16:1, Application: 560 EL, 560 K, 560 L, 560 N, 560 UL, 610 EL 610 K, 610 L, 610 N, 610 UL, GL 750 M	6	98.480		043 WV 11 043 WV 12 043 WT 13 043 WV 36		
16	RV/016	6.354 R 6 Diesel, 5784 cm ³ , 74.5 kW (101 PS),16:1, Application: 560 EL, 560 K, 560 L, 560 N, 560 UL, 610 EL 610 K, 610 L, 610 N, 610 UL, GL 750 M	6	98.480		043 WV 39		
17	RV/017	AD 4.236 R 4 Diesel,3864 cm ³ , 62.5 kW (85 PS),16:1 Application 380 K, 560 C,560 EL, 560 K, 560 L, 560 N, LE 35, Stradair	4	98.480		043 WV 11 043 WV 12 043 WT 13 043 WV 36		
18	RV/018	T 4.40 Euro 1	4	100.000			89 527 190 89 555 190 89 320 190 89 320 110	
19	RV/019	D 226 S R 6 Diesel,6240 cm ³ ,74-96 kW (100-131 PS),18:1 Application Serie	4	105.000		151 WV 15 151 WT 31		
20	RV/020	D 0846.HM 2, HMN 2,HMY R 6 Diesel,7252 cm ³ ,93-118 kW (127-160 PS),18:1 Hub 132mm, Application : E 7 L,E 7 N, SM 180 H, SM 21, Sciou,S 45GT S 53 M, SM 10, SM 12, SM 170,S 105 M	6	108.000	CH 2830 270 CH 2830 210 CH 2830 200 CH 2830 220 SJ351147	227 WT 09 227 WT 41	88 865 110 89 009 110 88 866 110	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
R.V.I.								
21	RV/021	D 0846.HM 2, HMN 2 R 6 Diesel, 7252 cm ³ , 93-118 kW (127-160 PS), 18:1 Hub 132mm, Application : E 7 L, E 7 N, SM 180 H, SM 21, Sciou, S 45GT S 53 M, SM 10, SM 12, SM 170, S 105 M	6	108.000		227 WT 09 227 WT 41		
22	RV/022	D 0836.HM HM 2, HM 3U, HM 7, HMN, HMU, M, MH, MU R 6 Diesel, 7030 cm ³ , 99.5-118 kW (135-160 PS), 18:1 Hub 128 mm, Application : JM 170 C, JM 170 N, JM 170 NA, JM 170 XL S 105 M, SM 45 GT, S 53 M, SC 10, Sciou, SM 10, SM 12 SM 170, SM 170 L	6	108.000		227 WT 07 227 WT 09 227 WT 11 227 WT 41		
23	RV/023	MMD 420 30	4	120.000	CH 2382 200			
24	RV/024	D2156	6	121.000	CH 2291 200 CH 2292 200 CH 2292 210			
25	RV/025	D 2156 . HM 9, HMN 3, HMUS R 6 Diesel, 10343 cm ³ , 141.5-173 kW (192-235 PS), 17:1 Hub 150mm Application: E 7.110, E 7.125, JM 200.2, JM 240.2, SM 200, SM 21.240, SM 240, SM 240 HT, SM 32.240,	6	121.000		227 WT 15 227 WT 16 227 WT 17 227 WT 18 227 WT 62 227 WV 64		
26	RV/026	D2156T/MTN/HTN	6	121.000	CH 2291 200 CH 2292 200 CH 2292 210			
27	RV/027	D2356	6	123.000	CH 2439 200 CH 2439 210 CH 2439 220			
28	RV/028	D 2356.HMN 5, HMN 6 DK R 6 Diesel, 10690 cm ³ , 169-173 kW (230-235 PS), 17:1 Hub 150mm Application: 260 V, E 7, SM 260 HT, SM 260 MT	6	123.000		227 WT 19 227 WT 20 227 WT 21		
29	RV/029	MIDR 623.56 R 6 Diesel, 11160 cm ³ , 294 kW (400 PS), 17:1 Application: Industriemotor , Kerax	6	123.000		209 WN 21		
30	RV/030	DCI 11, MIDR 623.56, Euro 3 R 6 Diesel, 11160 cm ³ , 300-303 kW (408-412 PS), 16:1 Turbo, LLK, 4 Ventile Application: RenaultPremium 420, Route Privilege 420, 18 T	6	123.000		209 WN 21		
31	RV/031	MIDR 623.56 Euro 2 R 6 Diesel, 11160 cm ³ , 300-303 kW (408-412 PS), 17:1 Turbo, LLK, 4 Ventile Application: RenaultPremium 420, Route Privilege 420, Kerax, Einbaumotor	6	123.000		209 WN 21		
32	RV/032	DCI 11, MIDR 623.56, R 6 Diesel, 11160 cm ³ , 265 kW (360 PS), 17:1 Turbo, LLK, 4 Ventile Application: RenaultPremium 420, Route Privilege 420, Einbaumotor	6	123.000		209 WN 21		
33	RV/033	D2858M/40/42	8	128.000	CH 2437 200 CH 2437 210 CH 2437 220			
34	RV/034	M635/40A, MD0635	6	135.000	CH 2380 200 CH 2641 200 CH 2641 210			
35	RV/035	MS/MDS 635,40 MIDR 0635 40 R 6 Diesel, 12024 cm ³ , 191-224 kW (260-305 PS), 15:1 Turbo, LLK, Application: TRH 310, TRH 305, GRH 305, GR 305, GBH 280 N, GR 280 EL, GR 280 L, GR 280 N, TLR 280 M 3 TR 280 , PX 28	6 4	135.000	CH 2380 200 CH 2641 200 CH 2641 210	209 WT 07 209 WT 15 209 WT 19		



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
R.V.I.								
36	RV/036	MIDS 0635 40 MDS 635.40 R 6 Diesel, 12024 cm ³ , 206 kW (280 PS), 15:1 Turbo Application: CBH 280, GBH 280	6	135.000	CH 2641 200 CH 2641 210 CH 2644 200	209 WT 07 209 WT 15 209 WT 19		
37	RV/037	MIDR 0635 40G/H	6	135.000	CH 2380 200 CH 2641 200 CH 2641 210 CH 2644 200			
38	RV/038	Motor 635 Series	6	135.000				
39	RV/039	MIDR 635.40 J 1 R 6 Diesel, 12024 cm ³ , 309 kW (420 PS), 16.5:1 Turbo, LLK Application: AE 385, R 385, AE 420, R 420 MIDR 635.40 L 1 R 6 Diesel, 12024 cm ³ , 283 kW (385 PS), 16.5:1 Turbo, LLK Application: AE 385, R 385, AE 420, R 420	6 6	135.000		209 WT 18		
40	RV/040	MIDR 635.40 J 3,Euro 1 R 6 Diesel, 12024 cm ³ , 305 kW (415 PS), 18:1 Turbo, LLK Application: AE 385,AE 420,Major 385, Major 420,GBH 320 CBH 320, CLM 320, CBH 385, GBH 385, CLM 385 MIDR 635.40 M 3,Euro 1 R 6 Diesel, 12024 cm ³ , 235 kW (320 PS), 18:1 Turbo, LLK Application: AE 385,AE 420,Major 385, Major 420,GBH 320 CBH 320, CLM 320, CBH 385, GBH 385, CLM 385 MIDR 635.40 N 3,Euro 1 R 6 Diesel, 12024 cm ³ , 283 kW (385 PS), 18:1 Turbo, LLK Application: AE 385,AE 420,Major 385, Major 420,GBH 320 CBH 320, CLM 320, CBH 385, GBH 385, CLM 385	6 6 6	135.000		209 WT 18		
41	RV/041	MIDR 635.40 G 2/ MIDR 635.40 H 2 R 6 Diesel, 12024 cm ³ , 255-275 kW (346-374 PS), 15:1 Turbo, LLK Application: R 340,R 350,R 365, AE 380, R 380	6	135.000		209 WT 07 209 WT 15 209 WT 19 209 WT 18	88 031 110 89 085 110 89 374 110	
42	RV/042	MIDR 635.40 R 6 Diesel, 12024 cm ³ , 226 kW (307 PS), 15:1 Turbo, LLK Application: R 310 T,PX 30, 305	6	135.000		209 WT 07 209 WT 15 209 WT 19		
43	RV/043	MIDR 635.40 J 1 R 6 Diesel, 12024 cm ³ , 309 kW (420 PS), 16.5:1 Turbo, LLK Application: AE 385, R 385, AE 420, R 420 MIDR 635.40 J 3,Euro 1 R 6 Diesel, 12024 cm ³ , 305 kW (415 PS), 18:1 Turbo, LLK Application: AE 385,AE 420,Major 385, Major 420,GBH 320 CBH 320, CLM 320, CBH 385, GBH 385, CLM 385 MIDR 635.40 L 1 R 6 Diesel, 12024 cm ³ , 283 kW (385 PS), 16.5:1 Turbo, LLK Application: AE 385, R 385, AE 420, R 420 MIDR 635.40 M 3,Euro 1 R 6 Diesel, 12024 cm ³ , 235 kW (320 PS), 18:1 Turbo, LLK Application: AE 385,AE 420,Major 385, Major 420,GBH 320 CBH 320, CLM 320, CBH 385, GBH 385, CLM 385 MIDR 635.40 N 3,Euro 1 R 6 Diesel, 12024 cm ³ , 283 kW (385 PS), 18:1 Turbo, LLK Application: AE 385,AE 420,Major 385, Major 420,GBH 320 CBH 320, CLM 320, CBH 385, GBH 385, CLM 385	6 6 6 6 6	135.000		209 WT 18	89 451 110	



S.NO.	REF. NO	MODEL AND DESCRIPTION	CYL	BORE (IN MM)	AE REF. NO.	MAHLE REF. NO.	KS REF. NO.	OE REF. NO.
R.V.I.								
44	RV/044	M 635.40 MD 063.540 MDR 06.35.40 MDS 06.35.40 MS 06.35 T	6	135.000			88 031 110 89 085 110 89 374 110	
45	RV/045	MIDR 06.35.40 P41 Euro 2	6				89 451 110	
46	RV/046	MIDR 06.35.40 MIDR 06.35.40 C	6	135.000			88 031 110 89 085 110 89 374 110	
47	RV/047	MIDS 06.35.40 MIDS 06.35.40 B	6	135.000			88 031 110 89 085 110 89 374 110	
48	RV/048	8210.02.00 R 6 Diesel, 13797 cm ³ , 162-191 kW (220-260 PS), 16:1 Motor- Nr. 003891..... Application: 170, 180,190,300	6	137.000		007 WT 24 007 WT 25 007 WT 26 007 WT 59		
49	RV/049	8210.22.000 R 6 Diesel, 13798 cm ³ , 223.5 kW (304 PS), 15:1 Turbo, Application: 204,190,170,	6	137.000		007 WT 24 007 WT 25 007 WT 26 007 WT 59		

RUSTON								
1	RS/001	YWA MK-IV (WL) MULTI CYL		101.070				
2	RS/002	YDA MK-I (WL) MULTI CYL		111.120				
3	RS/003	YDA MK-II (WL) MULTI CYL		111.260				

SEAT								
1	SE/001	100GBC/GL-146A	4	65.000	21205402			
2	SE/002	138B6.000	4	83.000	21230602 21231602			
3	SE/003	132/B/C1/AB.1A	4	84.000	21206102			
4	SE/004	8144.61	4	93.000	21230502 21230702			

SCANIA								
1	SC/001	DS 11 R 6 Diesel, 11018 cm ³ , 202 kW (275 PS), 16:1 Turbo Application: L 76, LBT 110 S, L 110 S, LB 110 S, LBS 110 S, LS 110 S, LT 110 S	6	127.000		061 WN 04		
2	SC/002	DS 11.01, DSI 11.01 R 6 Diesel, 11018 cm ³ , 202 kW (275 PS), 15:1 Turbo Motor-Nr. 880840... Application: L 110 S, LBS 110 S, LB 110 S, Ls 110 S, DS 11.01, DS 11.02, DS 11.14, DS 11.15, DS 11.18 DSC 11.01, DSC 11.02, DSC 11.04, DSC 11.11 R 6 Diesel, 11018 cm ³ , 206-245 kW (280-233 PS), 15:1 Turbo, LLK Application: B 116, G 112 M, K 112, L 111 S, LB 111 S, LBS 111 S, LBT 111 BB, LBT 111 FB, LBT 111 S, LS 111 S, LT 111 BB, LT 111 S, P 112 E, P 112 H, P 112 M, P 112 MA, R 112, R 112 E, R 112 H, R 112 M, R 112 MA, SBAT 111, T 112 E, T 112 H	6 6	127.000		061 WN 09		

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.